

MULTIDISCIPLINARY JOURNAL OF ADVANCED MATERIALS, PHYSICS AND BIO RESEARCH

ISSN: 3067-2619

Impact Factor: 4.43

11(4) 2024 MJAMPBR

ETHNO-MEDICINAL PLANTS USED FOR TREATING RESPIRATORY DISORDERS AMONG THE IGALA AND OKUN PEOPLE OF KOGI STATE

Ruth Ngozi Okafor

Department of Integrated Science Federal College of Education, Okene Kogi State, Nigeria

Abstract: Respiratory disorders are common problem and cause of death among the Igala and Yoruba (Okun) speaking people of Kogi State due to climatic conditions and scarce health care facilities. The people rely upon the indigenous plant resources to cure various respiratory disorders. The focus for this present study is to document available ethno-medicinal data of plants used for respiratory disorders among the Igala and Yoruba (Okun) speaking people of Kogi State. A total of 84 species belonging to 42 families used to treat respiratory disorders among the Igala and Okun people has been documented. Cough was the disorder treated by the highest number of species followed by asthma, bronchitis, cold, Tonsillitis, Convulsion, Throat infections, Tuberculosis, Epilepsy, Catarrh and then Hiccup respectively. The common plant parts and preparation methods of the medicinal recipes are from leaves, root, seeds, fruit, stem, bark, the whole plant, flower, rhizome, bulb and corm and latex in the form of infusion, decoction, extracts, pastes, juice and or chewed. A sample of 900 respondents from the study areas who have wealth of knowledge in plant use and traditional medicine were drawn using a stratified random sampling technique. A well-organized questionnaire was the major source of instrument for data collection. Part of plants and their mode of application will also be sought. It is recommended that detailed phytochemical studies be carried out to ascertain the active ingredients.

Keywords: Respiratory disorder, Ethno-medicine, Health, Plants

Introduction

Respiratory disorder is a type of disease that affects the lungs and airways that affect respiration in human, it can be caused by genetic factor, allergies, dust, chemicals, smoking tobacco or by breathing in second hand tobacco smoke, asbestos, other forms of air pollution, such disorders could be pulmonary infection or chronic lung diseases which include tuberculosis, asthma, bronchitis, cough, cold, catarrh, pulmonary hypertension, COVID-19, Pneumonia, lung cancer, bacterial and viral infection. It is believed that there is no cure for this disease but various treatment options are used to reduce the symptoms, slow the progression and improve the quality of life. Disorder is a state of malfunctioning of the body, therefore respiratory disorder is a medical term used to describe various types of infections, allergies and other diseases related to the different organs, tissues and specialized cells of human respiratory system, examples of respiratory disorder includes; common cold, pneumonia, lung cancer, asthma, influenza, tuberculosis etc. these respiratory diseases are categorize into three which are airways (affects bronchial tubes), lung tissue diseases (scarring or inflammation of tissues that enables lung to expand) and lung circulation diseases (blood vessels coagulate, swells or damage). Respiratory disease is a common and significant

cause of illness and death around the world. The most common problems of the respiratory system are: asthma, bronchitis, Tuberculosis, common cold, cough and whooping cough (Reddy, Reddy and Trimurthulu, 2006). The Igala and Okun people are good at using firewood as their fuel during cooking, their men are good at bush burning when clearing farmland for cultivation, most of the roads are not tarred leading to raise of dust, there are other companies or factories (Cement industry, Ceramic, Iron and Steel, Red oil producing, Garri making, etc.) in these areas that brings about different forms of air pollution. The prevalence of respiratory disease among the Igala and Okun people is increasing day-by-day with an annual increase many of the affected are children die before their fifth birthday due to the infection. A lot of people in the adult population are already suffering from asthma and bronchitis.

Plants have served as the main source of medicine for humans since the beginning of man and are most widely used medicines in the world today for treating different types of diseases. The people depend on the indigenous plant resources to treat various respiratory disorders. Some of the earliest modern medicines are indeed plant natural products for treating infectious diseases. Plants have a lot to offer for treating respiratory disorders, but it will require interdisciplinary research efforts to fully realize this potential. The present study aimed at documenting the traditional uses of medicinal plants used to treat different respiratory disorders among Igala and Okun people. Kogi State is a rich producer of medicinal plants with more than 6000 species which are extensively used for medicinal purposes due to its climatic zones including high altitudes.

During the previous few decades there has been an increase in the study of plants and their folk usage in various parts of Nigeria. In the recent years numbers of information are documented on the use of plants in indigenous healing system either by ethnic people or rural communities around the world is increasing. The knowledge of ethno medicine and its holistic approach supported by experience can serve as a fuel for the discovery of safe, new and affordable medicines.

Health, wellness and economic growth are important in the overall development of a people and it is one of the targets of Sustainable Development goal 3 which is to end epidemics by 2030. A state of health is said to exist when there is perfect harmony between humans and their environment (Mafimisebi and Oguntade, 2010). The respiratory disorder has imposed a lot socioeconomic burdens on individuals and societies. Compared with other non-communicable diseases, such as cardiovascular disease, cancer, and diabetes, respiratory disorders are seriously neglected (Khaltaev, 2017). The most important risk factors for respiratory disorders have been identified to include tobacco use, exposure to indoor and outdoor pollutants, allergens, occupational exposure, unhealthy diet, obesity, physical inactivity and other factors (Global surveillance, prevention and control of chronic respiratory diseases, 2019). Africans even in urban areas often use herbal remedy in conjunction with the care they receive in clinics and hospitals (Fasola 2006; Awah, 2006). It is estimated that traditional medicine provides 80%-90% of healthcare in Africa (WHO, 2002).

Various plant species are going extinct throughout the tropics; more disturbing is the loss of the knowledge of how to use those species at an even faster rate. Indigenous knowledge is of utmost value to human as such should be tapped into to stop unconscious destruction of plant (Darrell, 1990). Native peoples can tell you much about their local plants; for instance, whether they are poisonous, medicinal, good fuels or good for roofing material. They also know various methods of preparing the plants for these uses, when and how to harvest it and which parts, and also when and where it grows. This vital knowledge is being lost by the elimination of these natural ecosystems, and the eradication of the cultural adaptation of these traditional peoples (Weston, 1994). The unpleasant conclusion is that the human race is causing one of the first major reductions of global vascular plant

diversity since the origin of life (Plotkin, 1995). With the disappearance of most floras, vast genetic bases of variation in botanical and zoological species that have evolved over thousands of years are being lost.

Herbal medicine has long been recognised as one of the oldest forms of remedies used by humans. In developing countries many people still depend on traditional healing practices and medicinal plants for their daily healthcare needs, even though there is a great progress in modern medicine. There is abundant undocumented traditional knowledge of herbal medicines used to treat diseases in most cultures, different traditional healing practices worldwide are designed for either therapeutic or prophylactic use in human or animal diseases (Offiah *et al.*, 2012).

The survival of man has been dependent on his inborn interest to investigate through trial and error all aspect of his environment (Saeed et al., 2004). An attempt to promote rural growth that brings about progress in the quality of life and preservation of natural resources have had more favourable outcome when based on the local knowledge and present-day design of resource use within the involved communities. Medicinal plants are boosted with diverse secondary metabolites; some of them can interrupt viral protein and enzyme activities by binding with them, and prevent viral penetration, replication into the host cells (Akram et al., 2018; Dhama et al., 2018). Presently many plants species are not used effectively because of lack of information on the potentials and uses as such it is essential to carry out this study. Studies on the knowledge and use of natural resources by local populations may contribute to finding economic alternatives for these populations, especially in terms of the cultural uses of plants in relation to their application in the treatment and management of respiratory disorder. Kogi state is rich in savanna and forest vegetations having useful medicinal application as well as other uses. There is however scarcity of documented information on the various uses of plants, thus the need for this survey to generate a scheme of ethno-medicinal application in the treatment and management of respiratory disorder, with the hope of documenting such knowledge and preserving them for the future generation as more plants are lost. This study thus, highlights potential medicinal plants sources for the treatment and management of respiratory diseases among the Igala and Yoruba (Okun) people in Kogi State, Nigeria, concentrating on the following research questions:

- i. What are the species compositions of plants often used for the treatment and management of respiratory diseases among the Igala and Yoruba (Okun) people?
- ii. Which respiratory conditions are most commonly treated with medicinal plant species?
- iii. What are the mode of preparation and application of those plant species?
- iv. What is the economical and conservation status of the plant species used for respiratory disorders?

The study was essentially survey research which sought to ascertain the potential of some medicinal plants sources for the treatment and management of respiratory diseases among the Igala and Yoruba (Okun) people in Kogi State.

Kogi State is located on latitudes 7° 30' N and longitude 6° 42' E and within the derived savanna zone of Nigeria (middle belt) and shares boundary with ten states. It has a total of 29,833km² altitude of 420m above sea level. The area is rich in both savanna and forest vegetation which harbours numerous species of plants upheld in folklore as having useful medicinal applications as well as other uses. The area is characterized by a mean annual rainfall of about 1,260mm. Rainfall begins in April and ends in October and dry season from November to March. Rainfall has two maxima, July and September. Within the dry season, harmattan sets in between November and January and the average annual temperature is 27° C. The major tribes inhabiting the area are Igala and Okun (Yoruba) who are mainly farmers. The topography of this land is strongly undulating.

A sample of 900 respondents from the study area who have wealth of knowledge in plant use and traditional medicine were drawn using a stratified random sampling technique for the study. Preliminary information was obtained through the use of questionnaire and interviews with selected informants to give information about the local names of the plants, as well as their ecological habitat and distributions. Field trips were made to villages within the study area and assistants were used in the collection of data within the study area. Standard literatures were consulted for the plants' proper identification and uses.

RESULTS

A total of 900 respondents participated in the study, 58% of the participants were male while 42% were female, 10% were ethnobotanists, 90% herbalists and traditional medicine practioners.

A total of 86 species belonging to 42 families used to treat respiratory disorders among the Igala and Okun people has been documented. Cough was the disorder treated by the highest number of species (29) followed by asthma (20), bronchitis (18), cold (12), Tonsillitis (7), Convulsion and Throat infections (6), Tuberculosis, Epilepsy and Catarrh (3) and then Hiccup (1). Most of the plants belongs to Asteraceae and Solanaceae family; the most used plants habit are trees (32), followed by herbs (29), shrubs (24), climber (5) and grass (1). Herbal medicine preparation was a common thing in the study area, the indigenous people harvest and use different plant parts such as leaf, root, seed, flower, Rhizomes, bulb and corm. It was discovered that Traditional healers in the region mostly prepare ethno medicinal recipes from leaves, followed by root, seeds, fruit, stem, bark, the whole plant, flower, rhizome, bulb and corm and latex in the form of infusion, decoction, extracts, pastes, juice and or chewed as seen in table below

Table 1: Species compositions often used for respiratory diseases among the Igala and Okun

S/n	Botanical name	e	Com			Igala		oa	Family		Hab	it	Use	8		Part
0			n nar	ne	name		name									used
1	Abelmosch		Okra/	'Ok	Ōrọ-		Ila		Malvace	eae	shru	b	Thro	oat,		Fruit
	us esculen	itus	ro	ro		Ikpoloko							coug	gh	and	
	(Linn.)					ļ							bror	chitis		
													infe	etions		
	Moench.															
2	Abrus	Cra	b's	Ęри	ı/Qme		rejee/	Fal	paceae	Cli	mbe	Th	e	leav	es I	Leaves
	precatorius	eye		-		Oju	ologb			r		inf	usion	is use	ed	
	Linn					O								ly for		
													ugh	ar	ıd	
													thma			
3	Acacia nilotica					Baa	,	Fal	paceae	Tre	ee					Flower
	(L.)	aral	oic			Boo							usion		is s	
	P.J.H. Hurte					Eso							nedy			Bark
	r&Mab													is ar	ıd	
												As	thma			
4	Acacia	Aca	acia	Agv	vẹnẹc	Ihuı	n	Mi	mosacea	Shı	rub	Th	e	leav	es I	Leaves
	Senegal (L)	gun	n	he				e				inf	usion	is use	d	
	Willd											as	reme	edy f	or	
												ras	hes	in tl	ıe	
												mo	outh a	nd so	e	
	ı	1														

							throat	
							1222 2 333	
-	A1	D . 1	A	T1	F-1	T	T1 1)1-
5		Red	Agwenec	Ihun	Fabaceae	Tree	The decoction I	
	Del	acacia/s	he				of the bark or	Jum
		hittah					gum is used to	
	A .1	tree	т	D		TT 1	treat bronchitis.	
6	Acanthospe	Starbur	Imiejo	Danguro	Asteraceae	Herb		Leaves
	rmum						flower infusion a	
	hispidum						are used to treat I	
	DC						convulsion, s	•
							epilepsy, cough	
							and bronchitis.	
7	Achyranthe s	•	Enyi-ejo	Aboro,	Amarantha	Herb	Crushed Leaf I	-
	aspera L	chaff,		Eemo	ceae		is used F	Root
		devil's					for	
		horsewh					Tonsillitis	
		is					Decoction,	
							powder,	
							and	
							extract of	
							the root	
							is used for	
							Asthma,	
							bronchitis,	
							cold, cough	
							and	
							pneumonia	
8	Adiantum	Maidenh			Pteridaceae	Herb	Whole plant V	Whole
	capillusven	air fern					infusion is used p	olant
	eris Linn.						for Cough,	
							bronchitis,	
							convulsion,	
							asthma and	
							whooping	
							cough	
9	Afromomu Gu	inea Ich	abolo Ob	ouro	Zingiberac	Herb	The fruit is Fr	ruit
	m daniellii gra	nins			eae		eaten as remedy	
	K. Schum						for	
							Sour throat	
=								

10	Afromomu	Alligato r	Ata	Ataare	Zingiberac	Herb	Seeds are	Seeds	
	m	pepper			eae		chewed to treat		
	melegueta						cough, clear		
	(Rosc) K.						nasal congestion		
	Schum						and as Stimulant		
11	Allium	Onion	Albacha	Alubosa	Alliaceae	Herb	Bulb and leaves	Leaves	and
	cepa L.						infusion is used	Bulb	
							for Asthma,		
							breathing,		
							problem, cough		
							and cold		
12	Allium	Garlic	Ukpędu	Ayu	Alliaceae	Herb	Bulb Chewed,	Bulb	and
	sativum L.		1 .				chopped bulb,	Leaf	
							pounded bulb or		
							leaf infusion is		
							used to treat		
							Tonsillitis, cold,		
							cough, common		
13	Aloe	Aloe	Alofera	Ahun-	Liliaceae	Herb	Extract from the	Leaves	
	barbadensi	vera		erin			leaves is used		
	s Miller						for treating		
							Cough		
							and asthma		
14	Amaranthu	Spiny	Ikeke-	Teteelegun	Amarantha	Herb	Infusion of the	Whole	
	s spinosus	Amarant	Ogolo	_	ceae		whole plant is	plant	
	L.	h	_				taken for the		
							treatment of		
							Bronchitis		
15	Anacardiu	Cashew	Ikachu,	Kaju	Anacardiac	Tree	Chewing the	Bark,	
	m		Opigolo,		eae		tender leaves or	Fruits	and
	occidentali		Agala				fruits and or	Leaves	
	s Linn.						bark decoction		
							is used for		
							treating		
							cough		
							Cougn		

16	Annona senegaler s Pers	Sweet sop	Ukpokpo	Abo Ibobo	/	Annonac e	ea Sl	hrub	The leaves infusion is used as Remedy for cough & the roots and barks decoction in conjunction with Uveria chamae is used as cough,	Leaves
17	Asparagus africanus Lam	Bush or wild asparagu s	Iga'awul e	Aluki	As ae	paragace	Clim ng fe (shru	ern us ub) C	Root decoction is sed as remedy for ough and sore troat	Root
18	Aspillaafric ana (Pers,) C. D. Adams.	Marigol d	Idọdọlọ	Yunyun	As	teraceae	Herb	Н	ecoction of leaves eals sthma	Leaves
19	Azadiracht a indica A. Juss.	Neem	Oliodaa	Dogonya ro	Me	eliaceae	Tree	us fo	eaves infusion is sed as laxative and or the treatment of alaria and cough.	
20	Bambusa vulgaris Wendel	Bamboo	Otacho	Oparun	Po	aceae	Tree	le ch as	ecoction of tender aves and roots for aronic cough and others, throat ongestion	Leaves
21	Bryophyllu mpinnatum (Lam) Oken.	Life plant		Abamoda	Cra ae	assulace	Herb	le R	ecoction of the aves is used as emedy for aronic cough	Leaves

22	Burkea	W	'ild	Ō]	kakachi	A	oasa	Ca	aesalpina	Tr	ee	Th	ne bark decoctions Bark, root,
	africana	sy	ringe			_			ae			or	infusions are Leaves
	Hook											us	ed to treat fever,
												co	ough, catarrh,
													eumonia. Root
												-	ecoctions or
												in	fusions are used
												to	treat, epilepsy.
													eaves are used in
												the	e treatment of
												ер	ilepsy
23	Calotropis	So	odom	Ęł	oọ-fufu,	В	omubo	A	sclepiada	Sh	ırub	Ro	oot decoction, Roots,
	procera	ap	ple	Ib	omubo	m	u	ce	ae			flo	ower infusion and Flower
	(Aiton) R.			m	u							lat	tex of the plant is s, Latex
	Br.											us	ed for Cough,
												as	thma,
													bronchitis
24	Capsicum		Pepper		Akpoo/		Ata		Solanacea	.e	Shrub		Root decoction are Fruit and
	annum				Akpoko								used as remedy for, Root
	Linn.												bronchitis, Gonorrhoea
													Gonornoca
25	Carica		Pawpay	W	Echibak	p	Ibepe		Caricacea	e	Non	_	Root Crushed and Root
	papaya				a						woody	I	boiled is used as
	Linn.										tree		remedy for Cough
26	Cassia a	ılata	Candle		Ogujeba	l	Asunwo	n /	Caesalpin	ia	Shrub		Leaves infusion or Leaves
	Linn	syn.	stick				Aye –		ceae				decoction is used to
	Senna						ile						treat
	alata (L)												convulsions, heart
27	Roxb		3 .7		A 1		D		0 1:	•	G1 1		failure.
27	Cassia occidental	l i ~	Negro coffe		Agboon	ıė	Reere		Caesalpin	ıa	Shrub		The seeds are Leaves, brewed into a Flower
		ıı <i>s</i> syn.	cone		kpa				ceae				brewed into a Flower coffee-like beverage s,
	Senna	3 y 11.											for asthma, and a Roots
	occidetali	S											flower infusion is and
	(L) Link												used for bronchitis. Seeds
													The roots decoction
													is for fevers, and
													tuberculosis
L									Ī.		1		1

28	Citrus	Lime	Alemu-	Osanwewe	Rutaceae	Shrub	Infusion of leaves,	Fruits,
	aurantiifoli a		inale				decoction of root	Leaves,
	(Christm.)						and Fruit Juice is	Root
	Swingle						used for	
							Cough	
29	Citrus limon	Lemon	Ilemoni	Osan-iba	Rutaceae	Shrub	Leaves infusion and	Fruits
	(L.) Osbeck						Fruit is Chewed for	and
							Cough	Leaves
							-	
30	Citrus medica	Grape	Alemu-	Osan-nla	Rutaceae	Tree	Infusion of leaves,	Leaves,
			iba				decoction of root	Root,
							and Fruit Juice is	Fruits
							used for Cough,	and Juice
							cold, asthma	
31	Cnestis	Cnestis	Ōdọ-	Omu-aja	Connaracea	Shrub	Leaves infusion are	Leaves
	ferruginea		ichękpa		e		used as Anti	and

	Γ	T	T	T	Т	1	T	
	Vahl ex DC						inflammatory	Fruit
							and	
							Analge	
							sic. Fruit is	
							chewed as oral	
							hygiene	
32	Cola nitida (Vent.)	Kola	Obi	Gbanja	Sterculiace	Tree	Fruit is chewed	Fruit
	Schott and			-	ae		for Stimulant	
	Endl.						and as remedy	
							for cough	
33	Curcuma	Turmeri		Ata-ile pupa	Zingiberac	Herb	Underground	Underg
	longa Linn.	c			eae		stem	round
							Extract	stem
							,	(Root)
							decoction,	
							infusion is	
							taken orally	
							for	
							treatment	
							of	
							Pulmonary	
							infection,	
							tuberculosis	

34	Cymbopog	Lemon	Elie / I	lies	Kooko	oba	Poacea	ae	Gra	SS	Leaves	Leaves
	on citrutus (DC.)Stap	fgrass									infusion are	
											used as Anti	
											cold, anti-	
											malaria and	
											anti-cough	
35	Daniellia oliveri	Africa	n Agba		Iya		Caesal	pina	Tree	;	Bark decoction	Bark
	Benn	balsan	ı				ceae				is used for the	Gum
											Treatment of	
											epilepsy and	
											Hepatitis B	
											Gum is chewed	
											to treat cough	,
											bronchitis,	
											cold,	
											tuberculosis	
36	Datura innoxia Mill	Thorn	Jękęmi		Apikan	١,	Eupho	rbiac	Shrı	ıb	Dried leaves	leaves,
		apple			Ododo	omode	eae				seeds and or	seeds
											fruit infusion is	and
											taken for	fruit
											Asthma	
37	Dennettia tripetala G.	Pepper	Opipi		Igberi		Annon	acea	Tree	;	Fruit is chewed	Fruits
	Baker	fruit					e				for Stimulant	
											and as remedy	
											for cough	
38	Detarium microcarp	u Tallow	. Okaka	chi	Ogbogl	bo	Fabace	eae	Tree	;	Decoction of	Leaves
	m Guill. &	tree									the leaves is	and
	Perr										taken to treat	fruits
											fainting,	
											tuberculosis	
											and	
											convulsions.	
											decoction of	
											the powdered	
											bark is	
											en to alleviate	,
											e throat	
39	Dialium E	Black	Aigele	A	win	Fabac	ceae	Tree	, _	Lea	aves infusion is	Leaves
		umbler									nedy for cough	1
	illd									anc	d cold	

40	Elaeis guineensis Jacq	Palm tree	Ekpe	Ope	Arecaceae	Tree	Oil extract from kernel are used as Anti convulsion	Kernel
41	Elytraria marginata Vahl	Scaly stem		Eso, Osanyin	Acanthacea e	Herb	Infusion of plant is taken as remedy for cough	
42	Entada abyssinica (L) Steudel ex A. Rich.		Atakpaef a	Gbengbe	Mimosacea e	Tree	A decoction of the bark is taken for Coughs, chronic bronchitis. And infusion of crushed roots is good for Bronchial problems. powdered or roasted pulverized seeds for Sneezing;	barks, fruits, seeds and roots
43	Entada africana (L) Steudel ex A. Rich		Atakpaef a	Gbengbe, Ogurobe	Mimosacea e	Tree	A root or leaf decoction is used as remedy for fever and juice from the stem as remedy for respiratory diseases	
44	Euphorbia hirta Linn.	Asthma herb	Enya- akpe / omiakuik ede	Emile	Euphorbiac eae	Herb	Leaves infusion are used as Remedy for asthma	Leaves
45	Ficus exasperata Vahl.	Fig tree	Ogbaikol o	Epin	Moraceae	Tree	Leaves infusion are used to treat cough	Leaves

46	Garcinia kola Heckel.	Bitter kola	Igoligo	Orogbo	Clusiaceae	Tree	Fruits are chewed Fruits as & Stimulant, while Leaves
47	Gossypium hirsutum Linn.	Cotton	Owu- etutu	Owu	Tiliaceae	Shrub	the Leaves infusion are used as remedy for cough Leaves infusion Leaves are used for bronchial congestion
48	Hannoa undulata (Guill. &Perr.) Planch /Quassi undulata (Guill. &Perr.) D. Dietr	plum	Mopula	Oriji, Igiafee	Simarouba	Tree	Leaves and stem Stem bark, infusion or root bark decoction are used as Anti – hiccup, stem bark or root bark infusion or decoction are used as remedy for cough , purgative and cure for stomach ache, fever, leprosy
49	Helianthus annuus Linn.	Sun flower		Agbale	Asteraceae	Shrub	Leaf, root or Flower, flower tea, and root, seed, chewing the seed is useful for treating Asthma, bronchial infection, pulmonary infections, cold and cough

50	Hymenocar dia acida Tul.	Weddi g hear	•	Orupa, Kelujeju, Oropa	Phyllanthaceae	Tree	powder in food is taken to treat Asthma. A bark decoction is widely taken to treat tuberculosis.	seeds, leaves, stem, bark
							The Powdered bark in water or pulped bark is taken to treat cough and epileptic fits	
51	Ixora hutea Linn.	Ixora	Okwuben e	Isanaomode	Rubiaceae	Shrub	Leaves infusion are used as Anti – convulsion	Leaves
52	Lawsonia inermis L	Henna Plant	Inale	Laali, Lali	Punicaceae	Shrub	Powdered leaves, seeds, bark and flowers are made into tea and taken for Cough and bronchitis	
53	Malva sylvestris L	Blue Mallow, Brave heart	Ikuakpulu	Akeriri	Malvaceae	Herb	Infusion is taken as remedy for Chronic bronchitis, dry cough, catarrh, asthma, irritation of mouth and throat	
54	Mangifera indica Linn.	Mango	Umagolo	Mangoro	Anacardiac eae	Tree	Bark, leaves infusion or extract is used as remedy for Sore throat, Asthma, cough	Bark Leaves

55	Mentha arvensis L	Minth	Achefa / achafa	Efinrinaaja	Lamiaceae	Herb	Stem is chewed as Remedy for tooth decay and sore throat	Stem	
56	Mimosa pudica L.	Sensitive e plant	Uchokud u	Patamo	Mimosacea e	Shrub	Leaves infusion or root decoction is taken as remedy for Asthma		and
57	Nicotiana tabacum Linn.	Tobacco	o Ataba- otulu	Ewe-taba	Solanaceae	Shrub	Dried and powdered flowers or leaves is inhaled for cold and flu. Leaves are chewed smoked or inhaled as		s and
							Stimulant & remedy for cold		
58	Ocimum gratissimu m Linn	Mint, Clove basil	Anyeba	Efirin	Lamiaceae	Shrub	Leaves and root decoction treats gastro intestinal problems, diabetes & gonorrhoea	Leaves	&
59	Parinari curatellaef olium Planch ex Benth	Rough skinned plum	Ijakere	Idofun	Rosaceae	Tree	Leaves infusion or tender leaves chewed are used as Remedy for cough	Leaves	
60	Parkia biglobosa (Jacq) R. Br. ex G. Don	Locust bean tree	Ugba	Igba/Iruigba	Papilionace ae	Tree	Fermented seeds used in cooking food is Anti – hypertension	Seeds	

pelluida (L.) Kunth (L.) Kunt	61	Peperomia	Silver		Ewerinri	n,	Piperacea	ae	Herb	Whole plant Whole	1
Accepting the perfect of the perfe					Renre					squeezed and plant	
Best		(L.) Kunth								juice extracted	
Color Pergularia (Forskal) Chior										and mixed with	
Asthma and other respiratory tract disorder Climbe and Asthma										milk is used as	
62 Pergularia daemia vine (Forskal) Chior 63 Piper nigrum L. pepper 64 Protea madiensis Oliv 65 Psidium guajava 66 Ricinus Castor oil Ugba-communis plant igbo 66 Ricinus Castor oil Leaves infusion iguse do communis plant igbo 67 Solanum lincanum L. apple 68 Pergularia daemia vine (OjuKokaru ceae rinfusion is used for Headache, Bronchitis, cough and Asthma 69 Pergularia daemia vine (OjuKokaru ceae rinfusion is used for Headache, Bronchitis, cough and Asthma 60 Piper and Asthma do Asthma as the prevention of cold and catarh. 61 Protea madiensis Oliv 62 Psidium guajava 63 Piper nigrum L. Proteaceae Shrub leaves infusion is used for the treatment of high temperature among children 64 Protea madiensis Oliv 65 Psidium guajava 66 Ricinus Castor oil Ugba- Laa- Euphorbiac Tree Chewing or taking crushed boiled root is used for Flu, cold root is used for Flu; cold root is used for Flu; cold root is used for Fruits remedy ronsillitis,										remedy for	
Pergularia daemia vine Jioyun, OjuKokaru ceae Root or Leaves infusion is used for Headache, Bronchitis, cough and Asthma										Asthma and	
Communis Castor oil Casto										other	
Caves Pergularia daemia (Forskal) Chior										respiratory tract	
daemia (Forskal) Chior Signature Chior Chewing or taking Choor Crushed boiled Choor is used for Fruit Chewing Chior Chewing or taking Choor Chewing Chior Chewing Chior Chewing Chior Chewing Chior Chewing Chior Chewing Chewing Chior Chewing Chewing Chior Chewing Chewing Chior Chewing Chio											
Chior Chio	62	Pergularia			Ijoyun,		Ascepina	ıda	Climb	be Root or Leaves Leaves	
Chior Chewing or taking cough Chior			vine		OjuKokarı	J	ceae		r		
Cough and Asthma Cough and Could and Co											
Piper nigrum L. Potea nigrum L. Protea Piperaceae		Chior								· · · · · · · · · · · · · · · · · · ·	
Piper nigrum L. Poper Piperaceae Climbe as the cold and catarrh.											
nigrum L. pepper	- 60	7.	D1 1		-		7.		C11 1		
64 Protea madiensis Oliv 65 Psidium guajava Castor oil Ugbacommunis Lavapupa 66 Ricinus communis Lavapupa 67 Solanum incanum L. 68 Protea madiensis Oliv Cold and catarrh. Ceaves infusion is used for the treatment of high temperature among children Remove among children Cold cough, brender leaves are chewed for leaves, are chewed for leaves, are chewed for leaves, bronchitis and chronic whooping cough Castor oil Ugbacommunis plant igbo funfun, Lavapupa Castor oil Ugbacommunis plant igbo funfun, Lavapupa Cold and catarrh. Cold and catarrh. Ceaves infusion Leaves is used for the treatment of high temperature among children Cold cough, bronchitis and chronic whooping cough Crushed boiled root is used for Flu, cold Cold cough, bronchitis and chronic whooping cough Crushed boiled root is used for Flu, cold Cold cough, bronchitis and chronic whooping cough Crushed boiled root is used for Flu, cold Cold cough, bronchitis and chronic whooping cough Crushed boiled root is used for Flu, cold Crushed boiled root is used for Flu, cold Cold cough, brout leaves, Cold cough, bronchitis and chronic whooping cough Crushed boiled root is used for Flu, cold	63	_		Aıyımılı	lyere		Piperacea	ae		·	
Catarrh. Catarrh. Catarrh.		nıgrum L.	pepper						r	1	
Communis Castor oil Ugbacommunis Castor oil Ugbacommunis Castor oil Cavapupa Cavapupa Castor oil Cavapupa Castor oil Cavapupa											
madiensis Oliv do do do lis used for the treatment of high temperature among children 65 Psidium guajava Guava Igwoba Guafa Myrtaceae Tree Tender leaves are chewed for leaves, Linn. Linn. Castor oil Ugba- communis L Castor oil Ugba- igbo funfun, Lavapupa Bitter incanum L. Bitter incanum L. Bitter and Guava Igwoba Guafa Myrtaceae Tree Tender leaves are chewed for leaves, Old cough, bronchitis and chronic whooping cough Crushed boiled root is used for Flu, cold Fruit Juice is remedy Tonsillitis,	61	Duetee		Etilmomo	Dahimbala	407.740	Dustages	2.2	Clample		-
Oliv Oliv Itreatment of high temperature among children 65 Psidium guajava Guava Igwoba Guafa Myrtaceae Tree Tender leaves are chewed for leaves, Old cough, bronchitis and chronic whooping cough Castor oil Ugba- communis plant igbo Guafa Myrtaceae Tree Chewing or taking crushed boiled root is used for Flu, cold Fruit Fruit Fruit Fruit Fruit Fruits Fruits Fruits	04			_	Deninbolo	run	Proteacea	ae	Silruo		
Bigh temperature among children Company				do							
65 Psidium guajava Igwoba Guafa Myrtaceae Tree Tender leaves Tender are chewed for leaves, Linn. Old cough, bronchitis and chronic whooping cough 66 Ricinus communis plant igbo funfun, eae Communis L avapupa 67 Solanum incanum L. apple Igba-aja, Ikan Igwoba Guafa Myrtaceae Tree tender leaves Tender are chewed for leaves, Castor oil Ugba- Laa- Euphorbiac Tree Chewing or taking Root crushed boiled root is used for Flu, cold Fruit Juice is Fruits remedy Tonsillitis,		Oliv									
65 Psidium guajava Guava Igwoba Guafa Myrtaceae Tree Tender leaves are chewed for leaves, Linn. Old cough, bronchitis and chronic whooping cough 66 Ricinus communis plant igbo funfun, Lavapupa incanum L. apple Igba-aja, Ikan Solanaceae Shrub Fruit Juice is remedy Tonsillitis,											
Psidium guajava Guava guajava Guafa Myrtaceae Tree Tender leaves are chewed for leaves,										•	
guajava are chewed for leaves, Linn. Castor oil Ugba- communis plant igbo Gold cough, bronchitis and chronic whooping cough Castor oil Ugba- funfun, Lavapupa Gold cough, bronchitis and chronic whooping cough Chewing or taking crushed boiled root is used for Flu, cold Gold cough, bronchitis and chronic whooping cough Chewing or taking crushed boiled root is used for Flu, cold Fruit Juice is Fruits remedy Tonsillitis,	65	Psidium	Guava	Igwoba	Guafa		Myrtacea	ae	Tree		=
bronchitis and chronic whooping cough 66 Ricinus Castor oil Ugba- communis plant igbo funfun, Lavapupa eae Chewing or taking root is used for Flu, cold 67 Solanum incanum L. apple Ebe Igba-aja, Ikan Solanaceae Shrub Fruit Juice is remedy Tonsillitis,		guajava								are chewed for leaves,	
66 Ricinus Castor oil Ugba- communis plant igbo funfun, Lavapupa Euphorbiac eae Chewing or taking Root crushed boiled root is used for Flu, cold 67 Solanum incanum L. apple Chronic whooping cough Chronic whooping cough Fruit Juice is Fruits remedy Tonsillitis,		Linn.			1		ı				1
66 Ricinus Castor oil Ugba- communis plant igbo funfun, Lavapupa Euphorbiac Tree Chewing or taking Root crushed boiled root is used for Flu, cold 67 Solanum incanum L. apple Grushed boiled Fruit Juice is Fruits remedy Tonsillitis,										bronchitis and	
66 Ricinus Castor oil Ugba- communis plant igbo funfun, Lavapupa Euphorbiac eae Chewing or taking Root crushed boiled root is used for Flu, cold 67 Solanum incanum L. apple Bitter apple Geae Funfun, Lavapupa Fuit Juice is Fruits remedy Tonsillitis,											
communis plant igbo funfun, eae crushed boiled root is used for Flu, cold 67 Solanum incanum L. apple Grushed boiled root is used for Flu, cold Solanaceae Shrub Fruit Juice is Fruits remedy Tonsillitis,											
Lavapupa root is used for Flu, cold 67 Solanum incanum L. apple Igba-aja, Ikan Solanaceae Shrub Fruit Juice is Fruits remedy Tonsillitis,	66	Ricinus		_		Eu	phorbiac	Tre	ee	_	
67 Solanum L. apple Igba-aja, Solanaceae Shrub Fruit Juice is remedy Tonsillitis, Fruits F			plant	igbo	•	ead	e				
67 Solanum incanum L. apple Ebe Igba-aja, Ikan Solanaceae Shrub Fruit Juice is Fruits remedy Tonsillitis,		L			Lavapupa						
incanum L. apple Ikan remedy Tonsillitis,										Flu, cold	
incanum L. apple Ikan remedy Tonsillitis,	67	Solanum	Bitter	Ebe	Igba-aja,	So	lanaceae	Sh	rub	Fruit Juice is Fruits	1
		incanum L.	apple		Ikan					remedy	
Cough										Tonsillitis,	
								L		Cough	

68	Solanum	Blackni	Ebe	Odu,Igba	Solanaceae	Herb	Whole plant	Whole
	nigrum	ghtshade					infusion is	plant
	Linn						Remedy Cough,	
							bronchitis	
69	Spondias	Hog	Echikala	Iyeye	Anacardiac	Tree	Fruits are eaten	Leaves
	mombin	plum			eae		and leaves	
	Linn	1					infusion as	
							Remedy for	
							cough,	
70	Striga	Purple	Uga	Osa	Scrophulari	Herb	Leaves infusion as	Leaves
	hermonthic	witch			aceae		remedy for	
	a	weed					jaundice, leprosy	
	(De						and pneumonia	
	lile) Benth.						1	
71	Syzigium	Clove	Kanamfal	Kanafuru	Myrtacacea	Tree	Powder steam	seeds
	aromaticu		i	, Isinren	e		inhalation sore	
	m L.						throat and cough	
72	Syzygium	Water	Ugọlọ	Adere,	Myrtacacea	Tree	Leaf root and bark	Leaf, Bark
	guineense	berry		Igi-aro,	e		Chopped is	and root
	(Willd.)			Ori-ira			used as remedy for	
	DC.						Tonsillitis, flu and	
							sore throat	
73	Tamarindu	tamarind	Ochamiy	Samuya	caesalpinac	Tree	Leaves infusion is	Leaves
	s indica L.		a		eae		remedy for cough	
							& cold	
74	Tetrapleur	Aidan	<u> </u>	Aidan,	Fabaceae	Tree	the bark roots and	Bark, roots
	a tetraptera	tree	kpo	Ariden			leaves is used as	Leaves
	Linn.						antidote for	
							convulsion	
							Cold, flu	
75	Thyme	Thyme	Anyebae	Efinrinw	Lamiaceae	Herb	Decoction,	Leaves,
	vulgaris		gini	ęwę			powder, extract,	flower
							paste, ash for	
							Bronchitis,	
							whooping cough	
76	Tragia	Nosebur	Iňaleakpiti	Esinsin,	Euphorbiac	Herb		Root &
	yucatanens i	n		Esin,	eae		Powdered, boiled	leaf
	is Millsp.			Esisi			or decoction is used	
							for Chronic cough	
							and Tuberculosis	
L				1	1	1		

77	Tribulus	Devil's		Dagunro	Amarantha	Herb	Infusion of the Whole
	terrestris L.	weed			cea		plant is used asplant
							remedy for Cough
							and asthma
78	Tridax	PWD	Abojigbi	Igbalode,	Asteraceae	Herb	Leaves infusion is Leaves
	procumben	Weed	nigbini	Muwagu			used as Remedy for
	s Linn.			n			stomach ache,
							stomach ulcer,
							convulsion in
							children &
							hypertension,
79	Uvaria	Bush	Awuloko	Igberin /	Annonacea	_	Bronchitis, cough, Root
	chamae P.	banana,		akin	e	Shrub	catarrh liver
	Beauv	finger root		Eruju			infection
							and Poison
							neutralizer
80		Bitter leaf	Ilo	Ewuro	Asteraceae	Shrub	Leaf Crushed is Leaves
	amygdalina						used for
	Del.						Tonsillitis.
							Leaves infusion is
							used as remedy for
							insomnia,
							hypertension, fever
0.4		C1	0.1	-		_	&diabetes
81		Shea	Okumę	Emi	Sapotaceae	Tree	Fruits or seeds are Fruit or seed
	paradoxum	butter					grinded into paste
	(Gaertn, f)						and the oil
							extracted as cream,
							remedy for high
							temperature and
							convulsion in
82	Walteria		Achifu	Imiomo,	Sterculiace ae	Hark	children Leaves and rootLeaves and root
02	indica L.		ACIIIIu	-	Sicionnace ae	11010	infusion is used as
	muica L.			ewe-epo			remedy for sore
							throat,
							epilepsy,
							convulsions, and
							asthma
		<u> </u>					asumia

83	Xylopia	Negro	Alu	Eeru/	Annonacea	Shrub	Stimulant, bark I	Fruit, bark,
	aethipica	pepper		erunje	e		decoction is used I	Leaves
	(Dunal) A.						for treating asthma,	
	Rich						cough, analgesic,	
							flu, cold,	
							bronchitis. Leaves	
							infusion is used for	
							treatment of	
							bronchitis.	
84	Zingiber	Ginger	jinja	Jinja, atale	Zingiberac	Herb	Juice, pastel	Undergo round
	officinale				eae		infusion, extract or	Stem
	Roscoe						Root Crushed and	(Root)
							boiled is taken	
							orally for treatment	
							of Cough, throat	
							infection, cold and	
							Tonsillitis	

Discussion

The Table shows list of the species compositions of plants used for the treatment and management of respiratory disorder among the Igala and Okun speaking people of Kogi State and their local names are clearly shown. The respondents reported the use of medicinal plants from a preselected list of symptoms.

The local names of plants are very essential as plants are more easily identified by their local names worldwide, although local names of plants lack uniformity and consistency and are not recommended directly for scientific accounts; they are still seen as a useful tool for obtaining useful information on plants (Singh, 2008). Respondents gave local names of the plants and their uses in relation to respiratory disorder. The local names mentioned were authenticated with their respective botanical names using standard texts. Information gathered showed that increasing number of people is turning to herbal remedies for prevention and cure of various diseases. It was discovered that people in rural communities use plants very well for medicinal purposes. It is therefore important to obtain the important knowledge from traditional local folklore in relation to medicinal use of plants especially in respect to respiratory disorder. It was also observed that all the medicinal plants were used for 2 or more symptoms and also more than one plant can be used to treat and manage a particular symptom. The medicinal plants identified were represented by all plant forms which are Trees, shrubs, herbs, climbers and grasses. Trees (32) were found to be the most used plants followed by herbs (28), shrubs (23), climber (5) and grass (1). It was also noted most of the plants have little or no side effects; this was in accordance with Gbile and Adesina (1986). In agreement with Adekunle (2008) and Ayodele (2005) plant leaves is seen as a major component in most herbal preparation as such are important ingredient in traditional treatment of various diseases. Most of the herbal preparations were obtained from combinations with other plants, only few were prepared using more than one method. Decoctions and infusions were the most frequently used methods. Some of the plants revealed in the survey have been cited in the ethnobotanical survey of some African countries (Oni, 2010; Erinoso and Aworinde, 2012; Anslem, 2000; Adhikari, Marasini and Rayamajhee, 2020; Attah et al., 2021). Respiratory disorders are still causing several deaths each year. It is therefore important to improve access to traditional medicine, especially in rural areas. Threatened species need special attention for traditional herbal medicine to be exploited sustainably.

Conclusions and Recommendations

Medicinal plants have been used to treat various diseases including respiratory disorders. In the current study the indigenous people of this region use the native plants to cure their respiratory diseases because of synergistic and preventive causes. There is therefore need to pay attention to sustainability and use of these plant species. It is also important that detailed phytochemical studies be carried out to ascertain the active ingredients that are believed to be contained in each of the plant species to give more emphasis on how to extract and develop new drugs to treat respiratory health problems.

References

- Adekunle, M. F. (2008). Indigenous uses of plant leaves to treat malaria fever at Omo Forest Reserve (OFR), Ogun State, Nigeria. Ethiopia Journal of Environmental Studies Management, 1(1), 31-35.
- Adhikari, B., Marasini, B. P., & Rayamajhee, B. (2020). Potential roles of medicinal plants for the treatment of viral diseases focusing on COVID-19: A review. Phytotherapy Research, 1–15.
- Akram, M., Tahir, I. M., Shah, S. M. A., Mahmood, Z., Altaf, A., Ahmad, K., Munir, N., Daniyal, M., Nasir, S., & Mehboob, H. (2018). Antiviral potential of medicinal plants against HIV, HSV, influenza, hepatitis, and coxsackievirus: A systematic review. Phytotherapy Research, 32(5), 811–822.
- Anslem, A. O. (2000). Nature power: A Christian approach to herbal medicine. Don Bosco training canter, Ewu-Esan, Edo State.
- Arbab, A. H., Parvez, M. K., Al-Dosari, M. S., & Al-Rehaily, A. J. (2017). In vitro evaluation of novel antiviral activities of 60 medicinal plant extracts against hepatitis B virus. Experimental and Therapeutic Medicine, 14(1), 626–634.
- Attah, A. F., Fagbemi, A. A., Olubiyi, O., Dada-Adegbola, H., Oluwadotun, A., Elujoba, A., & Babalola, C. P. (2021). Therapeutic potentials of antiviral plants used in traditional African medicine with COVID-19 in focus: A Nigerian perspective. Frontiers in Pharmacology, 12, 596–855.
- Awah, P. (2006). Diabetes and traditional medicine in Africa. Diabetes Voice, 51(3).
- Ayodele, A. E. (2005). The medicinally important leafy vegetables of South-Western Nigeria. http://www.siu.edu/ebl/leaflets/ayodele.html.
- Darrell, P. (1990). Plants and culture: Ethnobotany and education. Royal Botanic Garden, 20A Inverleith Row, Edinburgh EH3 5LR, Scotland.
- Dhama, K., Karthik, K., Khandia, R., Munjal, A., Tiwari, R., et al. (2018). Medicinal and therapeutic potential of herbs and plant metabolites/extracts countering viral pathogens—current knowledge and future prospects. Current Drug Metabolism, 19(3), 236-263.
- Erhabor, G. E. (2021). Respiratory health in Africa: Strides and challenges. Journal of Pan Africa Thoracic Society, 2(1), 11-17.

- Erinoso, S. M., & Aworinde, D. O. (2012). Ethnobotanical survey of some medicinal plants used in traditional health care in Abeokuta areas of Ogun State, Nigeria. African Journal of Pharmacy and Pharmacology, 6(18), 1352-1362.
- Fasola, T. R. (2006). The impact of traditional medicine on the people and environment of Nigeria. In M. F. Ivbijaro, F. Akintola, & R. U. Okechukwu (Eds.), Sustainable Environmental Management in Nigeria (pp. 251-267).
- Gbile, Z. O., & Adesina, S. K. (1986). Nigerian flora and its pharmaceutical potentials. Journal of Ethnopharmacology, 19, 1-16.
- Ghildiyal, R., Prakash, V., Chaudhary, V. K., Gupta, V., & Gabrani, R. (2020). Phytochemicals as antiviral agents: Recent updates. Plant-derived Bioactives, 12, 279-295. https://doi.org/10.1007/978981-15-1761-7_12
- World Health Organization (WHO). (2019). Global surveillance, prevention and control of chronic respiratory diseases: A comprehensive approach. https://www.who.int/gard/publications/GARD_Manual/en/. Accessed March 10, 2019.
- Khaltaev, N. (2017). GARD, a new way to battle with chronic respiratory diseases, from disease-oriented programmes to global partnership. Journal of Thoracic Diseases, 9, 4676–4689.
- Li, T., & Peng, T. (2013). Traditional Chinese herbal medicine as a source of molecules with antiviral activity. Antiviral Research, 97(1), 1–9. https://doi.org/10.1016/j.antiviral.2012.10.006
- Mafimisebi, T. E., & Oguntade, A. E. (2010). Preparation and use of plant medicines for farmers' health in Southwest Nigeria: Socio-cultural, magico-religious and economic aspects. Journal of Ethnobiology and Ethnomedicine, 6, 1. https://www.ethnobiomed.com/content/6/1/1
- Offiah, N. V., Makama, S., Elisha, I. L., Makoshi, M. S., Gotep, J. G., Dawurung, C. J., Oladipo, O. O., Lohlum, A. S., & Shamaki, D. (2011). Ethnobotanical survey of medicinal plants used in the treatment of animal diarrhoea in Plateau State, Nigeria. BMC Veterinary Research, 7, 36. https://www.biomedcentral.com/1746-6148/7/36
- Oni, P. I. (2010). Ethnobotanical survey of a fallow plot for medicinal plant diversity in Idena village, Ijebu-Ode, South-Western Nigeria. Journal of Medicinal Plant Research, 4(7), 509-516.
- Plotkin, M. J. (1995). The importance of ethnobotany for tropical forest conservation. In Ethnobotany: Evolution of a Discipline (pp. 111-120). Oracle, AZ: Dioscorides Press.
- Reddy, K. N., Reddy, C. S., & Trimurthulu, G. (2006). Ethnobotanical survey on respiratory disorders in Eastern Ghats of Andhra Pradesh. Ethnobotany Leaflet, 1, 16.

- Saeed, M., Arssad, M., Ahmad, E., & Ishaque, M. (2004). Ethnophytotherapies for the treatment of various diseases by the local people of selected areas of N. W. F. P. Pakistan. Journal of Biological Science, 7, 1104-1108.
- Singh, H. (2008). Importance of local names of some useful plants in ethnobotanical study. Indian Journal of Traditional Knowledge, 7(2), 365-370.
- Weston, G. D. (1994). Crop physiology (Biotechnology by Open Learning). Butterworth-Heinemann.
- World Health Organization (WHO). (2002). Traditional medicine strategy 2002-2005. WHO. Geneva.
- Zhang, Q., Wang, Y., Qi, C., Shen, L., & Li, J. (2020). Clinical trial analysis of 2019-nCoV therapy registered in China. Journal of Medical Virology, 92(6), 540–545.